

# Swivels



*Better by  
Design*

## TODO® Swivels

Developed originally as part of the TODO-MATIC® coupling construction then subsequently as a stand alone product, the TODO® Swivel has proved itself in the toughest applications for over 20 years.

Used mainly to allow free hose movement without imparting torque stresses to the assembly (one of the biggest causes of premature hose failure).



## Features

- Simple design, low maintenance
- Very compact
- High flow rate / low pressure drop
- Full range of sizes, materials and connections
- Stainless steel bearings and single o-ring seal for reliability

## How it works

The addition of a TODO® swivel to a flexible hose assembly allows the hose to relax to its natural rest position whilst allowing freedom of movement without imparting torque stress at the point of connection.

(Torque stress is the largest single cause of PTFE and stainless steel convoluted hose failure).

## Certificates / Approvals

- TDT approval, mark TDT-UW-30/09 towards ADR/RID in Poland.
- Manufactured under EN ISO 9001:2000.
- Certified towards ISO 14001:2004 and OHSAS 18001:2007.

## Technical Details

- Sizes: In sizes from ¾"(DN19) to 4" (DN100).  
Materials: Aluminium, gunmetal/brass and 316L stainless steel.  
Seals: A full range of elastomeric seals available. FPM (Viton<sup>®</sup>) as standard.  
Thread seals: Al & GM = PUR (Polyurethane), SS = PTFE (Teflon<sup>®</sup>).  
Working pressure: 1", 2", 2½", 3" stainless steel PN 25 bar. Others PN 10 bar.  
Test pressure: Working pressure +50%.  
End connections: Male / female BSP-threads. Others on request.  
Viton<sup>®</sup> and Teflon<sup>®</sup> is registered trademarks of DuPont Performance Elastomers.

## A Selection of TODO<sup>®</sup> Swivels



**4" BSP  
female - male**



**3" Flange  
- BSP male**



**2½" BSP  
female - male**



**2" BSP  
male - NPT female**



**1½" BSP  
male - female**



**1½" BSP  
male - male**



**1" BSP  
male - female**

# TODO®

*A Gardner Denver Product*

**TODO AB**

Box 33, Industrigatan 2-4 ·  
S-545 21 Töreboda · Sweden  
Phone +46 506 19940 · Fax : +46 506 19944

**EMCO WHEATON UK Limited**

Channel Road · Westwood Industrial Estate  
Margate, Kent CT9 4JR · UK  
Phone +44 1843 221521 · Fax +44 1843 295444

**EMCO WHEATON GmbH**

Emcostraße 2-4 · 35274 Kirchhain · Germany  
Phone +49 6422 84-0 · Fax +49 6422 5100

**EMCO WHEATON USA, INC.**

9111 Jackrabbit Road · Houston, Texas 77095 · USA  
Phone +1 281 856-1300 · Fax +1 281 856-1325

**EMCO WHEATON Corp.**

2480 Bristol Circle · Oakville, Ontario L6H 5S1 · Canada  
Phone +1 905 8298619 · Fax +1 905 8298620

**GARDNER DENVER Inc.**

306 Middletown Park Place, Suite D  
Louisville, KY 40243 · USA  
Phone +1 502 489 3884 · Fax +1 502 489 3882

[www.todo.se](http://www.todo.se)  
[www.emcowheaton.com](http://www.emcowheaton.com)

[assist@todo.se](mailto:assist@todo.se)  
[assist@emcowheaton.com](mailto:assist@emcowheaton.com)

**GARDNER DENVER FRANCE SA**

Immeuble Le Miroir, 15-17, Boulevard du G<sup>al</sup>. de Gaulle  
92120 Montrouge · France  
Phone +33 146 1241-41 · Fax +33 146 1241-59

**EMCO WHEATON ASIA PACIFIC**

21 - 5F · IOI Business Park · Bandar Puchong Jaya  
47100 Puchong Selangor · Malaysia  
Phone +603 8075-7500/7900 · Fax +603 8075-4100

**GARDNER DENVER INTERNATIONAL LTD.**

PO Box 30804 · Diraz, Manama · Bahrain  
Phone +973 17813187 · Fax +973 17813186

**EMCO WHEATON GmbH**

Branch Office CEE  
Blue Danube Park, Objekt 60 · 2100 Korneuburg Austria  
Phone +43 2262 64281-0 · Fax +43 2262 6428120

**EMCO WHEATON GmbH Sp.z.o.o.**

Oddział w Polsce  
ul. Królewska 57 · 30-081 Kraków · Poland  
Phone +48 12 2934308 · Fax +48 12 2934309

**EMCO WHEATON Regional Sales Office**

PO Box 468 · Cross Lane, Tong, Bradford ·  
West Yorkshire BD4 0SU · UK  
Phone +44 1274 683131 · Fax +44 1274 651006