

LEADING BRAND PETROLEUM RETAIL SITE SOLUTIONS



EXPERTISE IN AFRICA SINCE 1984


Vapour Recovery Units | Mobile Gravity Meters
Automatic Tank Gauging Equipment | Flowmeters
Tank Monitoring Systems



Tel: +27 (0) 11 792 2196
Email: sales@soliflo.co.za
www.soliflo.co.za

ISO/TS 29001:2020
ISO 9001:2015

PAGE INDEX



VR REFINER

- Vapour Recovery Units (VRU) Page 3

SOLIFLO

- SOLIGrav Mobile Gravity Meters Page 4


ALISONIC

- Automatic Tank Gauging (ATG) Equipment
 - Magnetostrictive Level Gauges Page 5
 - Dial Level Indicators Page 5
 - Monitoring Consoles Page 6

REMOTE CONTROL TECHNOLOGY

- Remote Monitoring Systems for Tanks
 - Gas Tank with Hall Sensor Page 6
 - Oil/Diesel Tank with Pressure Probe Page 7
 - RCT Monitor Page 7

SERVICING SADC, EAC AND COMESA COUNTRIES



VAPOUR RECOVERY UNITS

Increase your retail fuel margins with the VR Refiner Retail Site Vapour Recovery Unit (VRU), engineered to recover lost fuel vapour.

Installed into fuelling stations' vent systems, the VRU enables all displaced petrol vapours normally lost to the atmosphere to be processed, converted to fuel and returned to the storage tank for immediate resale.

The VR Refiner can be installed on a site without environmental controls in place or with stage 1 and stage 2 systems already installed. During normal site operation, the VR Refiner enhances site security and environmental control.



VR REFINER VRU MK3

An eco-investment that contributes to the bottom line from day one.

Benefits

- Fast installation
- Low cost
- Easy to maintain
- Reduced carbon footprint



VRU SYSTEM PROCESS

- During normal site operation and tanker deliveries, displaced petrol vapour moves from the Underground Storage Tank (UST) 3 through the manifold vents 4, 5 into the VR processing chamber 1.
- The multi-phase processing chamber is kept at very low temperature by the VR control module 2 which incorporates advanced refrigeration and sophisticated electronics. The vapour is condensed in the chamber back to fuel where it is stored at the base of the chamber.
- The vapour with fuel removed continues through the outlet pipe 6 towards the breather vent 8 and stage one tanker connection 7 if fitted.
- Process fuel is stored, measured and then returned to the UST for immediate resale via the fuel return line 9.




MOBILE GRAVITY METERS

The Soliflo SOLIGrav® Mobile Flowmeter facilitates the gravity discharge of petroleum products.

A portable, compact custody transfer-approved metering device, SOLIGrav controls the precise measurement of bulk fuel deliveries to retail sites.

Utilising the advanced technology of the turbine, a user can simply and quickly control the volumes delivered to a station, make split deliveries and quantify by tracking product returns.

The electronic calculator is fitted with a large LCD waterproof screen and integrates Bluetooth for retrieval and geolocation of measurement data and calculator parameters.



SOLIGRAV MOBILE GRAVITY METER

Reducing the risk of fraud, SOLIGrav applications include:

Product metering on service station delivery operations | Tank truck, rail car product reception control | Partial or full compartment deliveries | Measurement of product returns



SOLIGrav

Benefits

- Quick, easy to use
- Mobile & autonomous
- Lightweight, compact
- Multi-products
- No product retention
- Bluetooth connectivity
- Easy maintenance
- Large LCD screen
- Heavy duty
- History data management
- Customised fluid parameters
- Temperature monitoring



AUTOMATIC TANK GAUGING (ATG) EQUIPMENT

Partnering with ALISONIC, we offer a comprehensive range of monitoring and gauge control solutions (Level Gauge and Fuel Measurement) for retail fuel stations.

ALISONIC has developed a complete tank management system for fuel retail distribution and depots. **This system is based on magnetostrictive level gauge technology**, the only system to guarantee a resolution of 0.01 mm. All wired probes, intrinsically safe or explosion proof in underground or above tanks up to 20m, can fit the density float. The technology supports remote diagnostic and assistance, thus avoiding high costs associated with on-site assistance.

MAGNETOSTRICTIVE LEVEL GAUGES

DELPHI RS485 WIRED MAGNETOSTRICTIVE PROBE

Intrinsically safe suitable for 0 zone.



Features

- High accuracy & repeatability
- Reliability & robustness
- Sharp leakage control
- Full stainless steel execution
- Ultra-compact design
- Measuring range 0.4m up to 5.5m

DELPHI RDT WIRELESS MAGNETOSTRICTIVE PROBE

Intrinsically safe suitable for 0 zone.



Features

- Transmission frequency 169 MHz for safe & reliable data transmission from underground
- Battery powered
- Ultra-low power mode
- Data transmission up to 3 km on air
- Battery life up to 7 years
- No costs for cabling & digging
- Fast & easy installation
- Compact design

DIAL LEVEL INDICATOR

CYCLOPS CLOCKWORK DIAL LEVEL INDICATOR

For underground and above ground tanks, **applications include LPG tanks, bulk fuel stock management and petrochemical plants.** Power supply not required, remote communications, ATEX compliant.

Three models available:

- CYCLOPS 03 measuring range up to 3 m res 10 mm
- CYCLOPS 05 measuring range up to 5 m res 2.5 mm
- CYCLOPS 25 measuring range up to 25 m res 2.5 mm



Technical Features

- Indicator / transmitter / switch
- IP65 aluminium case
- Wide range of stainless steel & resin floats
- Tank connections: threaded, flanged
- Stainless steel pipe 20/40 mm; or flexible corrugated pipe
- Accuracy +/- 2.5 mm
- Repeatability +/- 1 mm

MONITORING CONSOLES

Automatic Tank Gauges for Service Stations & Depots

SIBYLLA MONITORING CONSOLE



Main Features

- Wet stock management up to 36 tanks
- Wide graphical display 7" TFT touch screen
- Easy, smart configuration tools local or web interface
- Interface protocols with main communication protocols
- Automatic reconciliation
- Dynamic & static leakage
- Tank auto-calibration
- Deliveries, trends, events, alarms recording
- Pressure Level Leak Detection (PLLD) management
- Display shows: Product level/mm
- Interface level/mm (water presence detection)
- Real & compensate volume at 15°C in litres
- Product mean temperature 5 temp. sensors
- Volume of empty part in litres (ullage)

HELIOS TFT MONITORING CONSOLE

Main Features

- Display manages up to 4 tanks
- Colour 3.5" TFT touch screen display
- Tank strapping table (100 linearisation)
- Display shows: Product level/mm
- Interface level/mm (water presence)
- Real & compensate volume at 15°C in litres
- Product mean temperature 5 temp. sensors
- Volume of empty part in litres (ullage)




REMOTE MONITORING SYSTEMS FOR TANKS

Remote Control Technology (RCT) has developed proprietary hardware and software solutions that enable retail fuel station operators to digitalise their tanks and remotely monitor their levels.

All RCT's LPG and Oil data collection and transfer systems, and data management and analyses systems, can be customised in accordance with individual operator needs.






LEVELVIEW.PRO.LPG

LPG & GAS TANKS WITH HALL EFFECT SENSOR (EX ZONE 1/0)

For use with LPG tanks above/below ground. Contactless fill level measurement by way of magnetic field. GPRS | 4G | NBloT transmitter unit | External antenna with magnetic base | Declaration of Conformity (DOC) | Instruction manual. Operating temperature: -30°C to +50°C.

Benefits

- Easy installation, quick set-up
- Individual data management
- Intelligent remote monitoring of LPG tank fill levels
- Robust housing for demanding conditions
- Two year warranty



LEVELVIEW.PRO.OIL

OIL & DIESEL TANKS WITH PRESSURE PROBE (EX ZONE 1/0)

For use with oil, used oil, diesel, petrol and A1 fuel tanks. Precise level measurement using pressure probe. GPRS | 4G | NBloT transmitter unit | External antenna with magnetic base | Declaration of Conformity (DOC) | Instruction manual. Operating temperature: -30°C to +50°C

Benefits

- Easy installation, quick set-up
- Individual data management
- Precise fill level measurement by means of pressure probe or capacitive sensor
- Robust housing for demanding conditions
- Two year warranty



RCT MONITOR

Whether monitoring just one tank or a large number of different objects, with the RCT MONITOR platform, you have all measured data and messages immediately in view.

Cloud-based in the Web App on PC or with Mobile App on your smartphone.

Benefits

- Tanks, meters & installations always in view
- Minimum level & event alarms
- Consumption & demand analysis
- Valuable information about resources

PETROLEUM RETAIL SITE SOLUTIONS

With fuel costs at an all-time high, now more than ever before, Vapour Recovery, Automatic Tank Gauging, Measuring and Monitoring Systems, Flowmeters, Mobile Gravity Meters, Tank Monitoring Systems and other specialised equipment, are critical to the running of sustainable and profitable petroleum retail operations.

Soliflo is actively expanding this area of our business by offering a host of cost-effective leading brand solutions throughout the Southern African Development Community (SADC), East African Community (EAC) and Common Market for Eastern and Southern Africa (COMESA) regions - and will continue to add to our Petroleum Retail Site product portfolio as we source quality products that meet our exacting standards.



EXPERTISE IN AFRICA SINCE 1984

Soliflo is a customer-centric, solutions-driven company operating in sales, service, supply and installation of specialised equipment to the Oil, Petroleum, Gas industries, and other major industrial sectors since 1984.

Under our current ownership since 2003, the Soliflo name has long been synonymous with, but not limited to, the supply of industry-leading, global brand equipment and components, and the engineering and delivery of fully-packaged solutions, within sub-Saharan Africa. This includes storage tanks and terminals, highly specialised bulk liquid control, tanker loading / off-loading systems, vapour recovery systems and an extensive portfolio of related products and services.

We pride ourselves on being specialist providers to a diverse range of sectors including:

PETROCHEMICAL | OIL | GAS | RETAIL FUEL | CHEMICALS | CRYOGENICS | ENERGY | PHARMACEUTICAL | CEMENTATION
FOOD & BEVERAGE | AVIATION | MINING | AGRICHEMICALS & FERTILISERS

Johannesburg, South Africa is home to Soliflo's head office, and our reach extends to all major local hubs countrywide, cross-border as well as globally. We are ISO 9001:2015 and ISO/TS 29001:2020 Quality Management certified and B-BBEE Level 2 accredited.



20 May 2026



sales@soliflo.co.za

www.soliflo.co.za

+27 (0) 11 792 2196